



**ST100T**

## High Performance Tracked Stacker

The McCloskey® ST Tracked Stackers are all about efficiency, from its speedy setup time to its high degree of mobility, downtime is minimized while throughput and stockpile capacity are maximized.

Hydraulic main lift and top fold are standard, as is the diesel power unit. Electric and dual power are also available to get the job done, no matter what application. The 22.5 degree maximum conveyor

angle allows for the highest stockpiles per conveyor length in the industry.

With its durable truss frame, large feed hopper and base production capacity of 500 TPH with optional upgrades to 800 TPH, the McCloskey ST Tracked Stackers stand up well above the competition.

Available as a radio controlled track-mounted unit.

## Features

- 900mm (36") wide heavy duty 100' long conveyor
- 55kW (74Hp) Tier 4 engine
- On-site track mobility
- Large hopper
- Hydraulic folding frame for easy transport
- Fast on-site setup time (5 minutes)
- Abundant service room inside the power-pack
- Adjustable hopper height to optimize operational efficiency

## SPECIFICATION DATA

### Dimensions and Capacities

Engine	55kW (74 Hp)
Belt Length	100' (30.48m)
Belt Width	900mm (36")
Stockpile Height	12.4m (40' 7")
Stockpile Capacity	3490m <sup>3</sup> (4565 yd <sup>3</sup> )
Transport Length	21.25m (69' 8.5")
Transport Height	3.44m (11' 4")
Transport Width	2.57m (8' 5")

©Copyright 2022 McCloskey International.  
All rights reserved. McCloskey is a registered trademark  
of McCloskey International.

McCloskey International reserves the right  
to make changes to the information and  
design of the machines on this brochure  
without reservation and notification to the  
users. Information at time of print  
considered accurate — McCloskey  
International assumes no liability resulting  
from errors or omissions in this document.

#### Large Feed Hopper

Up to 12.4m (40' 7") high  
stockpile with 3490m<sup>3</sup> (4565 yd<sup>3</sup>)  
capacity

#### 100' Conveyor

30.48m (100') long conveyor  
with 900mm (36") wide 3-ply  
belt.

#### Hydraulic Top Fold

Straightforward hydraulic  
controls to fold and  
unfold, raise and  
lower the conveyor.

#### Radio Remote Track Control

Provides remote  
maneuverability and enhances  
safety for moving freely to the  
best location