



McCloskey
Environmental



RF-80

FEEDER STACKER

The ERF-80 comprises of a large feeder hopper that transfers material onto an 80ft conveyor and provides a rear, low level feed option to operators.

Designed to allow operators to stockpile/transfer material it eliminates double handling of materials.

The unit can also be compacted for transport on one low loader for easy site to site transport.

FEATURES

- 100kW (127Hp) CAT engine • Dual hydraulic main drive system
- Hydraulically adjustable discharge height up to 10m
- 4m tracks for superior maneuverability and stability.
- Fuel efficient Hydraulics system
- User Friendly Hydraulic Controls
- Hydraulic folding heading section for transport minimizing setup time
- Hopper greedy plates increasing capacity



McCloskey Environmental

HOPPER EXTENSIONS

- Hopper greedy plates increasing capacity.

48' MAIN CONVEYOR

- Heavy duty main 48" (1200mm) wide conveyor.

HYDRAULIC FOLDING CONVEYOR

- Hydraulic folding heading section for transport minimizing setup time.

TRACKED MOBILITY

- Fully portable tracked unit with 4m wide tracks, allowing for maximum on-site stability.

LARGE FEEDER

- Steel hopper allows operators to load 10m³ of standard Aggregates with hopper extensions option to increase capacity.



DIMENSIONS AND CAPACITIES

ENGINE	100KW (127HP)	WEIGHT	24,500KG APPROX. (54,013 LBS)	HOPPER CAPACITY	10M ³ (13YD ³)
TRANSPORT HEIGHT	3.2M (10' 6")	WORKING HEIGHT	10.2M (33' 7")	MAX. PRODUCTION RATE	880 TPH (800 METRIC TPH)
TRANSPORT LENGTH	19.3M (33' 7")	WORKING LENGTH	26.1M (85' 10")		
TRANSPORT WIDTH	2.9M (9' 5")	STOCKPILE HEIGHT	9.6M (31' 6")		

© Copyright 2021 McCloskey Environmental. All rights reserved. McCloskey is a trademark of McCloskey International.

McCloskey Environmental reserves the right to make changes to the information and design of the machines on this brochure without reservation and notification to the users. Information at time of print considered accurate – McCloskey Environmental assumes no liability resulting from errors or omissions in this document.