

Tracked Impact Crushers

1012TS Primary/Secondary Crusher



Features & Benefits

- Up to 350+ tonnes per hour Production Rate
- Produces a Superior Cubical Shaped Product
- Suitable for both Primary and Secondary Applications
- Innovative Design for Fast Setup and Easy Transportation

1012TS

The Tesab 1012TS is a Tracked, Large Impact Crusher designed to accept a Large Feed Size whilst also producing a Consistent and High Quality End Product at a Low Cost per Ton.

A x2 Deck Independent Pre-Screen results in lower cost operation as a sized product can be produced on the side belt while also reducing wear.

The 1012TS crusher unit features a 1200mm (47") diameter rotor along with an extra crushing and shaping path. Suited for both primary and secondary applications and can be used stand alone or can be intergrated into existing crushing & screening operations.



Performance Specification

Production Rate	Max Feed Size	Reduction Ratio	Engine Size	Pre Screen
350+ TPH*	500mm (20")*	Up to 20:1	CAT C13 (Tier 3/ Tier 4)	Yes

* Depending on material density and set-up

Dimension Specification

Transport Dimensions			Working Dimensions		
Height	Width	Length	Width	Length	Weight (Est.)
3810mm (12' 6")	3330mm (10' 11")	14,250mm (46' 9")	2900mm (9' 6")	15,700mm (51' 6")	45,200kgs (99,649 lbs)

TESAB

Engineered for Power, Built to Last